

Multifunctional Chlorine Tablets 20g /200g

| 1.1 Produc | ct Identifier | trichloroiso | cyanuric acid , | / symclose | ene | |
|---|---|--|---|---|--|----------------------------|
| 1.2 Releva | nt Identifie | d uses and restriction | is of the subst | ance or m | ixture | |
| Uses: | | | tion of pool ar | | | |
| 1.3 Details | s of the sup | plier of the safety dat | a sheet | | | |
| Compa | | | ool Controls L | td | | |
| | | Unit 2, The | Park | | | |
| | | Stoke Orcha | ard | | | |
| | | Bishops Cle | eve | | | |
| | | Gloucesters | shire | | | |
| | | GL52 7RS | | | | |
| Teleph | | 44 (0) 8712 229081 | | Fax: | +44 (0) 8712 229083 | |
| E-mail: | : <u>sa</u> | ales@cpc-chemicals.co | <u>p.uk</u> | | | |
| 1.4 Emerg | ency Telepł | none | | | | |
| Tel: | | 44 (0) 8712 229081 | (office hour | s) | +44 (0) 1242 300271 | (outside of office hours) |
| | | ne substance or mixtu | | 008 | | |
| Classifi | ication of th ication acco | ording to Regulation (| EC) No 1272/2 | 008 | | |
| Classifi Hazard | ication of th ication acco I Class | ording to Regulation (Hazard Stat | EC) No 1272/2 | 008 | | |
| Classifi Hazard Ox. Sol | ication of th ication acco I Class I. 3 | ording to Regulation (Hazard Stat H272 | EC) No 1272/2 | 008 | | |
| Classifi Hazard Ox. Sol Acute | ication of th ication acco d Class I. 3 Tox. 4 * | ording to Regulation (Hazard Stat Hazard Stat H272 H302 | EC) No 1272/2 | 008 | | |
| Classifi Hazard Ox. Sol | ication of th ication acco I Class I. 3 Tox. 4 * it. 2 | ording to Regulation (Hazard Stat H272 | EC) No 1272/2 | 008 | | |
| Classifi Hazard Ox. Sol Acute ⁻ Eye Irri STOT S | ication of th ication acco d Class I. 3 Tox. 4 * it. 2 iE 3 | ording to Regulation (Hazard Stat Hazard Stat H272 H302 H319 | EC) No 1272/2 | 008 | | |
| Classifi Hazard Ox. Sol Acute Eye Irri STOT S Aquati | ication of th ication acco I Class I. 3 Tox. 4 * it. 2 | ording to Regulation (Hazard Stat Hazard Stat H272 H302 H319 H335 | EC) No 1272/2 | 008 | | |
| Classifi Hazard Ox. Sol Acute Eye Irri STOT S Aquati Aquati | ication of th ication acco d Class I. 3 Tox. 4 * it. 2 SE 3 c Acute 1 c Chronic1 | ording to Regulation (1 Hazard Stat H272 H302 H319 H335 H400 H410 | EC) No 1272/2 | 008 | | |
| Classifi Hazard Ox. Sol Acute Eye Irri STOT S Aquati Aquati | ication of th ication acco d Class I. 3 Tox. 4 * it. 2 SE 3 c Acute 1 c Chronic1 | ording to Regulation (Hazard Stat H272 H302 H319 H335 H400 | EC) No 1272/2 tements | | kicological information | |
| Classifi Hazard Ox. Sol Acute Eye Irri STOT S Aquati Aquati Humar | ication of th ication acco d Class I. 3 Tox. 4 * it. 2 iE 3 c Acute 1 c Chronic1 mportant a n Health: | dverse effects | EC) No 1272/2 tements See section | 11 for to | • | |
| Classifi Hazard Ox. Sol Acute Eye Irri STOT S Aquati Aquati Humar Physica | ication of the ication accord d Class I. 3 Tox. 4 * it. 2 it. 3 it. 4 it. 3 it. 3 it | dverse effects | EC) No 1272/2 tements See section See section | 11 for to 9 for phy. | kicological information sicochemical information vironmental information | |
| Classifi Hazard Ox. Sol Acute Eye Irri STOT S Aquati Aquati Aquati Humar Physica Potent | ication of the ication accord d Class I. 3 Tox. 4 * it. 2 iE 3 c Acute 1 c Chronic1 mportant a n Health: al & Chemic ial environn | ording to Regulation (Hazard Stat H272 H302 H319 H335 H400 H410 dverse effects | EC) No 1272/2 tements See section See section | 11 for to 9 for phy. | sicochemical information | |
| Classifi Hazard Ox. Sol Acute ⁻ Eye Irri STOT S Aquati Aquati Most in Humar Physica Potent | ication of the ication acco d Class I. 3 Tox. 4 * it. 2 SE 3 c Acute 1 c Chronic1 mportant a n Health: al & Chemic cial environne elements | ording to Regulation (Hazard Stat H272 H302 H319 H335 H400 H410 dverse effects | EC) No 1272/2 tements See section See section See section | 11 for tox 9 for phy 12 for en | sicochemical information vironmental information | |
| Classifi Hazard Ox. Sol Acute ⁻ Eye Irri STOT S Aquati Aquati Aquati Humar Physica Potent 2.2 Label e The pro | ication of the ication acco d Class I. 3 Tox. 4 * it. 2 SE 3 c Acute 1 c Chronic1 mportant a n Health: al & Chemic cial environne elements | dverse effects al Hazards: mental effects | EC) No 1272/2 tements See section See section See section | 11 for tox 9 for phy 12 for en | sicochemical information vironmental information | |
| Classifi Hazard Ox. Sol Acute ⁻ Eye Irri STOT S Aquati Aquati Aquati Humar Physica Potent 2.2 Label e The pro | ication of the ication accord d Class I. 3 Tox. 4 * it. 2 iE 3 c Acute 1 c Chronic1 mportant a n Health: al & Chemic cial environne elements oduct is class | ording to Regulation (Hazard Stat H272 H302 H319 H335 H400 H410 dverse effects al Hazards: mental effects: ssified and labelled act | EC) No 1272/2 tements See section See section See section cording to the | 11 for tox 9 for phy 12 for en CLP regul | sicochemical information vironmental information | |
| Classifi Hazard Ox. Sol Acute Eye Irri STOT S Aquati Aquati Aquati Most in Humar Physica Potent 2.2 Label e The pro | ication of the ication accord d Class I. 3 Tox. 4 * it. 2 iE 3 ic Acute 1 ic Chronic1 ic Chronic1 in Health: al & Chemic ital environne elements oduct is class d symbols: | ording to Regulation (Hazard Stat H272 H302 H319 H335 H400 H410 dverse effects al Hazards: mental effects: ssified and labelled acc GHS03 | EC) No 1272/2 tements See section See section See section | 11 for tox 9 for phy 12 for en | sicochemical information vironmental information | |
| Classifi Hazard Ox. Sol Acute Eye Irri STOT S Aquati Aquati Aquati Humar Physica Potent 2.2 Label e The pro | ication of the ication accord d Class I. 3 Tox. 4 * it. 2 iE 3 ic Acute 1 ic Chronic1 ic Chronic1 in Health: al & Chemic ital environne elements oduct is class d symbols: | ording to Regulation (Hazard Stat H272 H302 H319 H335 H400 H410 dverse effects al Hazards: mental effects: ssified and labelled act | EC) No 1272/2 tements See section See section See section cording to the | 11 for tox 9 for phy 12 for en CLP regul | sicochemical information vironmental information | |

| Hazard-determining compo | nents of labell | ing: trichloroisocyanuric acid |
|---------------------------|-----------------|---|
| Hazard statements | H272 | May intensify fire; oxidiser |
| | H302 | Harmful if swallowed. |
| | H319 | Causes serious eye irritation |
| | H335 | May cause respiratory irritation. |
| | H410 | Very toxic to aquatic life with long lasting effects |
| Precautionary statements: | P101 P102 | If medical advice is needed, have product container or label at hand. |
| | | Keep out of reach of children |
| | P201 | Obtain special instructions before use |
| | P221 | Take any precaution to avoid mixing with combustibles |

Multifunctional Chlorine Tablets 20g / 200g

2. Hazard Identification

| P305+351+33 | 8 IF IN EYES Continue | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. rinsing |
|-----------------|--------------------------|---|
| P301+P312 | | OWED: Call a POISON CENTER/doctor if you feel unwell. |
| P304+P340 | IF INHALE | D: Remove person to fresh air and keep comfortable for breathing. |
| P 308 + P313 | IF exposed | d or concerned: Get medical advice / attention. |
| P402 | Store in a | dry place. |
| P405 | Store lock | red up. |
| P501 | Dispose o | f contents/container in accordance with local/regional/national/international regulations. |
| Additional info | ormation: | EUH031 Contact with acids liberates toxic gas. |
| | | Warning! Do not use together with other products. May release dangerous gases (chlorine). |
| 2 Othon Honorda | | |

2.3 Other Hazards

PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3. Composition/information on ingredients

| CAS-No. | EINECS | Index-No. | % | |
|-----------------|----------------|-------------------|------|---|
| trichloroisocy | anuric acid | | | |
| 87-90-1 | 201-782-8 | 613-031-00-5 75 - | 100% | (♠) Ox. Sol. 2, H272; (♠) Aquatic Acute 1, H400; Aquatic Chronic 1 H410; (♠) Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335 |
| Boric Acid | | | | |
| 10043-35-3 | 233-139-2 | 005-007-00-2 0.5- | 1% | 🚸 Repr. 1B, H360FD |
| copper(II) sulf | ate, pentahyd | rate | | |
| 7758-99-8 | 231-847-6 | | - 1% | Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic H410; Acute Tox. 4, H302 |
| Aluminium su | lfate octadeca | ıhydrate | | |
| 7784-31-8 | 233-135-0 | 0.5 | - 1% | Eye Dam. 1, H318 |
| SVHC | | | | v |
| 10043-35-3 bo | oric acid | | | |

4. First Aid measures

| .1 Description of first aid m General Advice: | easures Symptoms of poisoning may even occur after several hours; therefore medical observation for least 48 hours after the accident |
|--|---|
| After inhalation: | Supply fresh air; consult doctor in case of complaints. |
| After skin contact: | Seek medical treatment. |
| After eye contact: | Call a doctor immediately. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. |
| After swallowing: | Rinse out mouth and then drink plenty of water. Call for a doctor immediately. |
| 2 Most important sympton | ns and effects, both acute and delayed |
| .2 Most important sympton Symptoms and effects: | ns and effects, both acute and delayed No relevant information available. |
| .3 Indication of immediate | medical attention and special treatment needed No relevant information available. |

Page 2 of 9

| e fighting measures | |
|--|--|
| 5.1 Extinguishing media: | |
| Suitable extinguishing media: | Water, water spray, carbon dioxide. |
| Unsuitable extinguishing media: | Extinguishing powder, foam, water with full jet. |
| 5.2 Special hazards arising from the subst | ance or mixture |
| | Formation of toxic gases is possible during heating or in case of fire. In case of |
| Specific Hazards during fire fighting: | the following can be released: |
| | Nitrogen oxides (NOx); Hydrogen chloride (HCl) |
| 5.3 Advice for fire-fighters | |
| Special protective equipment | Wear self-contained respiratory protective device. |
| | Wear fully protective suit. |
| | Mouth respiratory protective device. |
| Additional information | Cool endangered receptacles with water spray. |
| | Collect contaminated fire fighting water separately. It must not enter the sew |
| | system. |

| dental release Measures | |
|--|---|
| | rotective equipment and emergency procedures |
| Personal Precautions: | Avoid formation of dust. |
| Personal Precautions. | Ensure adequate ventilation |
| | Mount respiratory protective device. |
| | Mount respiratory protective device. |
| 6.2 Environmental precaution | DNS |
| Environmental precautio | ns: Keep contaminated washing water and dispose of appropriately. |
| | Do not allow product to reach sewage system or any water course. |
| | Inform respective authorities in case of seepage into water course or sewage system. |
| | Do not allow to enter sewers/ surface or ground water. |
| 6.3 Methods and materials | for containment and cleaning up |
| Cleaning up: | Dispose contaminated material as waste according to item 13. |
| J J J J J J J J J J J J J J J J J J J | Ensure adequate ventilation. |
| 5.4 Reference to other secti Other Sections | See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment See Section 13 for disposal information. |
| lling and storage | |
| 7.1 Precautions for safe han | Idling |
| Advice on safe handling: | Store in cool, dry place in tightly closed receptacles. |
| | Provide suction extractors if dust is formed. |
| | Restrict the quantity stored at the work place. |
| | Do not refill residue into storage receptacles. |
| 7.2 Conditions for safe stora | age, including any incompatibilities. |
| Requirements for storage are | eas: Store only in the original receptacle. |
| Common storage facil | ity: Do not store together with acids. |
| Further information on stora | ge: Protect from humidity and water. |
| | Keep container tightly sealed. |
| | |

Store in cool, dry conditions in well sealed receptacles.

Page 3 of 9

No relevant information available.

Storage class: 5.1B

7.3 Specific end uses Specific use(s)

Multifunctional Chlorine Tablets 20g / 200g

8. Exposure control/personal protection 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: The lists valid during the making were used as basis 8.2 Exposure controls Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Use suitable respiratory protective device when high concentrations are present. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device. Protection of hands: Wear suitable chemical resistant gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR Chloroprene rubber, CR Butyl rubber, BR

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing, Boots, Apron

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties **General Information** Appearance: Form Tablets Colour: Blue Odour: Like chlorine Odour threshold: Not determined. pH-value (10 g/l) at 20 °C: " 2.0-2.7 Change in condition: 225-240 °C Melting point/Melting range: Undetermined. Boiling point/Boiling range: Flash point: Not applicable. Flammability (solid gaseous): " Decomposition temperature: 225 °C Self-igniting: Product is not selfigniting. Page 2d Htg does not present an explosion hazard. Danger of explosion:

Multifunctional Chlorine Tablets 20g / 200g

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

| General Information | | |
|----------------------------|------------------------|---------------------------|
| Explosion limits: | Lower: | Not determined. |
| | Upper: | Not determined. |
| Vapour pressure: | | Not applicable. |
| Density at 20 °C: | | ca. 2.5 g/cm ³ |
| Relative density | | Not determined. |
| Vapour density | | Not applicable. |
| Evaporation rate | | Not applicable. |
| Solubility in / Miscibilit | y with water at 25 °C: | 12 g/l |
| Partition coefficient (n | -octanol/water): | Not determined. |
| Dynamic viscosity: | | Not applicable. |
| Kinematic viscosity: | | Not applicable. |
| Solvent content: | | 0.00% |
| Solids content: | | 100.00% |
| | | |

9.2 Other Information

Other information

No further relevant information available.

10. Stability and reactivity 10.1 Reactivity Reactivity No further relevant information available. 10.2 Chemical stability Chemical stability No further relevant information available. 10.3 Possibility of hazardous reactions Hazardous reactions Reacts with oxidising agents. Reacts with strong alkali. Reacts with amines. Strong exothermic reaction with acids. Reacts with flammable substances. Reacts with acids releasing chlorine. Reacts with reducing agents. 10.4 Conditions to avoid Conditions to avoid No further relevant information available. **10.5** Incompatible materials No further relevant information available. Materials to avoid **10.6 Hazardous decomposition products**

Haz. Decomp. products: Hydrogen chloride (HCl), Chlorine, Nitrogen oxides (NOx)

11. Toxilogical Information

11.1 Information on toxilogical effects

Toxicity Values

| trichloroiso | cyanuric acid | | | 87-90-1 |
|--------------|---------------|------|------------------------|------------|
| Route | Species | Test | Value | Units |
| Oral | Rat | LD50 | 406 | mg/kg |
| boric acid | | | | 10043-35-3 |
| Oral | Rat | LD50 | 2660 | mg/kg |
| | | Pa | ge o or 9 - | |

Multifunctional Chlorine Tablets 20g / 200g

11. Toxilogical Information

11.1 Information on toxilogical effects

Primary Irritant effect:

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Causes serious eye irritation. Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

 Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.
 Reproductive toxicity : Based on available data, the classification criteria are not met.
 STOT-single exposure: May cause respiratory irritation.
 STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.

12. Ecological Information

12.1 Toxicity

| Acute | Toxicity | |
|-------|----------|--|
| , | | |

| trichloroisocyanuric acid | | | 87-90-1 | |
|------------------------------|------|-------|------------|--|
| Species | Test | Value | Units | |
| Daphnia | EC50 | 0.2 | mg / I | (Modified method based on the ASTM method E645-85) |
| (Selenastrum capricornutum | EC50 | 0.5 | mg / I | |
| (Danio rerio (Zebrabärbling) | LC50 | 0.3 | mg / I | |
| boric acid | | | 10043-35-3 | |
| (Chlorella pyrenoidosa) | NOEC | 10 | mg / I | |
| Daphnia | LC50 | 133 | mg / I | (ASTM Standard E 729-80) |

12.2 Persistence and degradability

Persistence and degradability No further relevant information available.

12.3 Bioaccumlative potential

Bioaccumlative potential No further relevant information available.

12.4 Mobility in soil

Mobility in soil No further relevant information available.

Ecotoxical effects: Remark: Very toxic for fish

Behaviour in sewage processing plants 10043-35-3 boric acid NOEC 180 mg/l (Activated sludge) (OECD "Chironomid testing using spiked sediment")

Additional ecological information:

General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

12.5 Results of PBT and PvB assessment

Results of PBT and PvB Not applicable

12.6 Other adverse effects

Multifunctional Chlorine Tablets 20g / 200g

13. Disposal Considerations

13.1 Waste treatment methods


Must be specially treated adhering to official regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Recommended cleansing agents:

Water, if necessary together with cleansing agents.



Multifunctional Chlorine Tablets 20g / 200g

| ansport Information | |
|--|---|
| Transport/Additional information: ADR | |
| Excepted quantities (EQ): | E1 |
| Limited quantities (LQ) | 5 kg |
| Excepted quantities (EQ) Code: | E1 |
| | Maximum net quantity per inner packaging: 30 g |
| | Maximum net quantity per outer packaging: 1000 g |
| Transport category | 3 |
| Tunnel restriction code | Ε |
| IMDG | |
| Limited quantities (LQ) | 5 kg |
| Excepted quantities (EQ) Code: | E1 |
| | Maximum net quantity per inner packaging: 30 g |
| | Maximum net quantity per outer packaging: 1000 g |
| UN "Model Regulation": | UN2468 TRICHLOROISOCYANURIC ACID, 5.1, III, ENVIRONMENTALLY HAZARDO |

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for this substance or mixture. Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. Seveso category

P8OXIDISING LIQUIDS AND SOLIDSE1Hazardous to the Aquatic EnvironmentQualifying quantity (tonnes) for the application of lower-tier requirements 50 tQualifying quantity (tonnes) for the application of upper-tier requirements 200 tREGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 30

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Articles 57 10043-35-3 boric acid

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

16. Other information

| Full text of H-statements referred to under sections 2 and 3 | | |
|--|-----------------------------------|----------------------|
| H272 | May intensify fire; oxidiser. | |
| H302 | Harmful if swallowed. | |
| H319 | Causes serious eye irritation. | |
| H335 | May cause respiratory irritation. | |
| H360FD | May damage fertility. May damag | ge the unborn child. |
| H400 | Very toxic to aquatic life. | Page 8 of 9 |

Multifunctional Chlorine Tablets 20g / 200g

16. Other information

Further information

Restricted to professional users. Attention - Avoid exposure- obtain special instructions before use

This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty or merchantability, or fitness for any particular use, or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this information Users should make their own investigations to determine the suitability of the information for their particular needs and uses.

Indicates updated section