

SAFETY DATA SHEET



Version: 4.1 Date: 10th May 2022

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product name	Stabilised Chlorine Granules
Product Part Number	001
Unique Formula Identifier	2300-D0AX-900W-2P9V
Substance name	Troclosene sodium, dihydrate
Synonyms	Sodium dichloroisocyanurate dihydrate
CAS No.	51580-86-0
EINECS No.	220-767-7
Index No.	613-030-01-7
1.2 Relevant identified uses of the substance or mixture and uses advised against	Pool/ spa treatment; Biocide Anything other than the above.
Identified Use(s)	
Uses advised against	
1.3 Details of the supplier of the safety data sheet	Plastica Ltd
Name of Supplier	Perimeter House Napier Road St Leonards-on-Sea East Sussex United Kingdom TN38 9NY
Address of Supplier	+44 (0) 1424 857857 info@plasticapools.net
Telephone	
E-mail (competent person)	
1.4 Emergency telephone number	
Emergency Phone No.	0800 043 0891 (Technical) 24 hours a day 0800 043 0892 (Emergency)
Languages spoken	English

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
2.1.1 Regulation (EC) No. 1272/2008 (CLP)	Acute Tox. 4; H302 Eye Irrit. 2; H319 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
2.2 Label elements	According to Regulation (EC) No. 1272/2008 (CLP)
Product name	Stabilised Chlorine Granules
Hazard Pictogram(s)	 
Signal Word(s)	Warning
Hazard Statement(s)	H302: Harmful if swallowed. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H410: Very toxic to aquatic life with long lasting effects.
Precautionary Statement(s)	P102: Keep out of reach of children. P260: Do not breathe dust/fume/gas/mist/vapours/spray. P271: Use only outdoors or in a well-ventilated area.

SAFETY DATA SHEET

Version: 4.0 Date: 20th July 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

P273: Avoid release to the environment.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P501: Dispose of contents/container to an authorized waste collection point.

Supplemental information

EUH031: Contact with acids liberates toxic gas.

2.3 Other hazards

Not a PBT according to REACH Annex XIII
Not a vPvB according to REACH Annex XIII

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

SUBSTANCE	CAS No.	EC No.	REACH Registration No.	%W/W
Troclosene sodium, dihydrate	51580-86-0	220-767-7	Not yet assigned in the supply chain	100%

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Self-protection of the first aider

Avoid contact with skin and eyes. Avoid breathing dust. Remove contaminated clothing and footwear and wash before reuse.

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Apply artificial respiration only if patient is not breathing. Call a POISON CENTER/doctor if you feel unwell.

Skin contact

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation develops and persists, get medical attention.

Ingestion

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. If vomiting occurs turn patient on side. Do not give milk or alcoholic beverages. Rinse mouth with water but do not swallow. Never give anything by mouth to an unconscious person..

4.2 Most important symptoms and effects, both acute and delayed

Contact with eyes

Causes severe irritation.

Contact with skin

Causes redness and swelling.

Ingestion

May cause redness and irritation.

May cause nausea/vomiting.

May cause diarrhoea.

Inhalation

The ingestion of significant quantities may cause damage to digestive system.

May cause respiratory irritation. Inhalation of the dust may cause breathlessness, coughing, tightness of the chest and difficulty in breathing.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to a physician:

Treat symptomatically.

IF INHALED: Symptoms may be delayed for as long as 48 hours following exposure.

SAFETY DATA SHEET

Version: 4.0 Date: 20th July 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 5: FIREFIGHTING MEASURES

- | | |
|--|--|
| 5.1 Extinguishing media
Suitable extinguishing media

Unsuitable extinguishing media | Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions.

Do not use water jet or waterspray; Do not use dry extinguishers containing ammonium compounds such as dry powder. |
| 5.2 Special hazards arising from the substance or mixture | May decompose in a fire, giving off toxic and irritant vapours. Combustion products: Chlorine, hydrochloric acid, Nitrogen oxides |
| 5.3 Advice for firefighters | Evacuate the area and keep personnel upwind. Keep container(s) exposed to fire cool, by spraying with water. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Prevent fire extinguishing water from contaminating surface or ground water. In case of fire: Wear self-contained breathing apparatus. Wear full protective clothing including chemical protection suit. |

SECTION 6: ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

For emergency responders | Rescuers should take suitable precautions to avoid becoming casualties themselves. Only trained and properly protected personnel must be involved in clean-up operations.

Ensure adequate ventilation. Do not breathe dust. Wear protective clothing as per section 8. Wash thoroughly after handling.

Evacuate the area and keep personnel upwind. Wear self-contained breathing apparatus. Wear suitable protective clothing, including eye/face protection and gloves (nitrile are recommended). |
| 6.2 Environmental precautions | Avoid release to environment, Do not allow to enter public sewers and watercourses. If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities. |
| 6.3 Methods and material for containment and cleaning up | Evacuate the area and keep personnel upwind. Provided it is safe to do so, isolate the source of the leak. Avoid dust formation. Do not mix with water. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste |
| 6.4 Reference to other sections | See sections 8 and 13 |

SECTION 7: HANDLING AND STORAGE

- | | |
|--|---|
| 7.1 Precautions for safe handling | Use only in well-ventilated areas. Keep away from heat and sources of ignition. Do not breathe dust. Do not add water to the product, always add the product to large quantities of water. Wear protective clothing as per section 8. Contaminated clothing should be laundered before reuse. Contaminated work clothing should not be allowed out of the workplace. Use good personal hygiene practices. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. |
| 7.2 Conditions for safe storage, including any incompatibilities

Storage temperature
Incompatible materials | Keep in a cool, dry, well ventilated place. Keep container tightly closed. Protect from moisture. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from food, drink and animal feedingstuffs. Keep away from acid.

Store in a cool dry place.

Incompatible with acids, ammonia, bases, calcium hypochlorite, reducing agents, organic solvents and compounds. |
| 7.3 Specific end use(s) | Pool/ spa treatment |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- | | |
|--|--|
| 8.1 Control parameters
8.1.1 Occupational exposure limits | The UK HSE (EH40) recommends the following limits for dusts: 10 mg/m ³ (8hr TWA) total inhalable dust; 4 mg/m ³ (8hr TWA) total respirable dust. |
|--|--|

SAFETY DATA SHEET




Version: 4.0 Date: 20th July 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	15 min STEL (mg/m ³)	Note
Sodium Dichloroisocyanurate Dihydrate	51580-86-0	-	1.5g/m ³ (UK)		2.9mg/m ³ (UK)	

Source: Republic of Ireland notified product register

- 8.1.2 Biological limit value** Not assigned
- 8.1.3 PNECs and DNELs** Not established
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls** Selection and use of personal protective equipment should be based on a risk assessment of exposure potential. Engineering controls should be provided to prevent the need for ventilation. Use with local exhaust ventilation. Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources. Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. A washing facility/water for eye and skin cleaning purposes should be present. Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.
- 8.2.2 Individual protection measures, such as personal protective equipment**
- Eye/ face protection** Use eye protection according to EN 166, designed to protect against dusts.
- 
- Skin protection** **Hand protection:** Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and standard EN 374. The selection of a suitable glove depends on work conditions and whether the product is present on its own or in combination with other substances. Breakthrough time is dependent on the characteristics of the brand of glove used and the supplier should be consulted. Suitable glove material: Nitrile rubber, Thickness: 0.11 mm Breakthrough time: > 480 minutes.
- 
- Body protection:** Wear suitable protective clothing. Contaminated clothing should be laundered before reuse. Contaminated work clothing should not be allowed out of the workplace.
- Respiratory protection** No respiratory protection is needed if ventilation/extraction is adequate, otherwise wear approved dust mask. Recommended: EN143 Type A-P2
- 
- Thermal hazards** not applicable
- 8.2.3 Environmental exposure controls** Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

SAFETY DATA SHEET

Version: 4.0 Date: 20th July 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

Appearance	White solid
Odour	Characteristic chlorine odour
Odour threshold	1-3ppm (value for chlorine)
pH	7 (10% aqueous solution)
Melting point/freezing point	No information available.
Initial boiling point and boiling range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	not applicable
Vapour pressure	< 0.006 Pa @ 20 °C
Vapour density	No information available.
Relative density	1.97
Solubility(ies)	248.2 g/L (pH 4.47)
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	252°C
Viscosity	not applicable
Explosive properties	Non-explosive
Oxidising properties	Not oxidising.

9.2 Other information None Known

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	No information available.
10.2 Chemical stability	Considered stable under normal conditions.
10.3 Possibility of hazardous reactions	Contact with acids liberates toxic gas.
10.4 Conditions to avoid	Avoid dust formation. Do not mix with water. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials	Incompatible with acids, ammonia, bases, calcium hypochlorite, reducing agents, organic solvents and compounds.
10.6 Hazardous decomposition products	Decomposition products may include chlorine, hydrochloric acid, nitrogen oxides

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
Acute Toxicity - Ingestion	Acute Tox 4; H302: Harmful if swallowed. Harmonised Classification LD50 (rat,oral): 1,823 mg/kg bw/day (US-EPA) LD50 (rat,oral): 1,671 mg/kg bw/day (ECHA)
Acute Toxicity - Inhalation	Based on available data, the classification criteria are not met.
Acute Toxicity - Skin contact	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2; H319 : Causes serious eye irritation. Harmonised Classification
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	STOT SE 3; H335: May cause respiratory irritation. Harmonised Classification Decomposes when wet to evolve chlorine gas. Inhalation of chlorine will result in severe respiratory irritation. Delayed effects can include shortness of breath, severe headache, pulmonary oedema and pneumonia
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
11.2 Other information	None Known

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Aquatic Acute 1, Very toxic to aquatic life.
---------------	--

SAFETY DATA SHEET

Version: 4.0 Date: 20th July 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

Troclosene sodium, dihydrate	Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects. Harmonised Classification Aquatic Acute 1, H400 Aquatic Chronic 1, H410 96h LC ₅₀ (fish) 0.23 - 0.24 mg/L (EPA OTS 797.1400, Fish Acute Toxicity Test)
12.2 Persistence and degradability	This substance is not readily biodegradable.
12.3 Bioaccumulative potential	Not anticipated to bioaccumulate
12.4 Mobility in soil	Soluble in water. The product is predicted to have high mobility in soil.
12.5 Results of PBT and vPvB assessment	Not a PBT according to REACH Annex XIII. Not a vPvB according to REACH Annex XIII.
12.6 Other adverse effects	None Known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. Disposal should be in accordance with local, state or national legislation. Do not reuse empty containers without commercial cleaning or reconditioning. Uncleaned empties should be disposed of in the same manner as the contents.
13.2 Additional information	Neutralisation is normally necessary before waste water is discharged into water treatment plants.

SECTION 14: TRANSPORT INFORMATION

	ADR/RID	IMDG	IATA/ICAO
14.1 UN number	UN 3077	UN 3077	UN 3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Sodium dichloroisocyanurate, dihydrate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Sodium dichloroisocyanurate, dihydrate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Sodium dichloroisocyanurate, dihydrate)
14.3 Transport hazard class(es)	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental hazards	Environmentally hazardous substance	Classified as a Marine Pollutant.	Environmentally hazardous substance
14.6 Special precautions for user	See Section: 2		
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	No information available.	No information available.	No information available.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1. EU regulations	REACH Regulation (EC) No. 1907/2006 Regulation (EU) No. 528/2012 on biocides EU Directive 2012/18/EU (the Seveso III Directive).
1	Authorisations and/or restrictions on use Not restricted for the intended use(s) of the product.
15.1. National regulations	
2	GB BPR - 01. GB List of Active Substances Yes (Please refer to the GB List of Active Substances available on the HSE website for further details: https://www.hse.gov.uk/biocides/uk-list-active-substances.htm) UK REACH - 06. Annex XVII (Restrictions) Not restricted for the intended use(s) of the product.
15.2 Chemical Safety Assessment	A REACH chemical safety assessment has not been carried out.

SAFETY DATA SHEET

Version: 4.0 Date: 20th July 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: New format has been issued, all sections have been updated to include new information. Review SDS with care.

References:

Existing Safety Data Sheet (SDS)
Harmonised Classification(s) for Troclosene sodium, dihydrate (CAS No. 51580-86-0).
Troclosene Sodium (CAS No:2893-78-9) ECHA Registration
Republic of Ireland notified product register

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830.

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE: Acute Toxicity Estimate
CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL: Derived no effect level
EC50: Effective Concentration, 50%
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
LC50: Lethal concentration at which 50% of the population is killed
LD50: Lethal Dose, 50%
LTEL: Long term exposure limit

MDG: International Maritime Dangerous Goods
NOAEC: No observed adverse effect concentration
NOAEL: No observed adverse effect level
NOEC: no observed effect concentration
OEL: Occupational Exposure Limit
PBT: PBT: Persistent, Bioaccumulative and Toxic
PNEC: Predicted No Effect Concentration
SCL: Specific Concentration Limit
STEL: Short term exposure limit
vPvB: very Persistent and very Bioaccumulative
WEL: Workplace Exposure Limit

Hazard classification / Classification code:

Acute Tox. 4; Acute Toxicity, Category 4
Eye Irrit. 2; eye Irritation, Category 2
STOT SE 3; Specific target organ toxicity — single exposure, Category 3

Hazard Statement(s)

H302: Harmful if swallowed.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation

Aquatic Acute 1; Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1; Hazardous to the aquatic environment, Chronic , Category 1

H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
EUH031: Contact with acids liberates toxic gas

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Plastica company Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Plastica company Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.